

FirePro® AIS

Revision Date: 21.07.2025
Revision No: Version 1.0 July 2025 (NI)
Previous Version: N/A

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product form: Mixture.
Trade name: FirePro® AIS.
Product group: Trade product.

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Main use category: Professional use.
Use of substance/mixture: Adhesives, sealants.

1.3 Details of the supplier of the safety data sheet

Manufacturer:
ROCKWOOL Ltd, Pencoed, Bridgend, CF35 6NY.
Tel: +44 (0) 1656 862621
Email: sds@rockwool.com

Distributor:
ROCKWOOL A/S, Hovedgaden 501, DK-2640 Hedehusene, Denmark
Tel: +45 4656 1616
info@rockwool.dk

1.4 Telephone numbers

No additional information available.

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]: Not classified.

Adverse physicochemical, human health and environmental effects:

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]:

EUH-statements:

EUH208 - Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9), 1,2-benzisothiazol-3(2H)-one (2634-33-5). May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

2.3 Other hazards

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

Section 3. Composition / information on ingredients

3.2 Mixtures

Calcium Magnesium Dicarbonate substance with national workplace exposure limit(s) (GB, IE); substance with a Community workplace exposure limit:

Product identifier: CAS-No.: 16389-88-1
EC-No.: 240-440-2

Percentage: < 50

Classification according to Regulation (EC) No. 1272/2008 [CLP]: Not classified.

Aluminium hydroxide substance with national workplace exposure limit(s) (DK, GB, IE):

Product identifier: CAS-No.: 21645-51-2
EC-No.: 244-492-7

Percentage: < 20

Classification according to Regulation (EC) No. 1272/2008 [CLP]: Not classified.

Glass Frit substance with national workplace exposure limit(s) (GB):

Product identifier: CAS-No.: 65997-18-4
EC-No.: 266-047-6

Percentage: 5 - 10

Classification according to Regulation (EC) No. 1272/2008 [CLP]: Not classified.

Titanium Dioxide (Colorant):

Product identifier: CAS-No.: 13463-67-7
EC-No.: 236-675-5
EC Index-No.: 022-006-00-2

Percentage: < 1

Classification according to Regulation (EC) No. 1272/2008 [CLP]: Not classified.

1,2-benzisothiazol-3(2H)-one:

Product identifier: CAS-No.: 2634-33-5
EC-No.: 220-120-9
EC Index-No.: 613-088-00-6

Percentage: 0.01354

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.21 mg/l) Acute Tox. 4 (Oral), H302 (ATE=450 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one:

Product identifier: CAS-No.: 55965-84-9
EC Index-No.: 613-167-00-5

Percentage: 0.00101

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

Product identifier: CAS-No.: 2634-33-5

EC-No.: 220-120-9

EC Index-No.: 613-088-00-6

Percentage: $(0.036 \leq C \leq 100)$ Skin Sens. 1A; H317

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one:

Product identifier: CAS-No.: 55965-84-9

EC Index-No.: 613-167-00-5

Percentage: $(0.0015 \leq C \leq 100)$ Skin Sens. 1A; H317 $(0.06 \leq C < 0.6)$ Skin Irrit. 2; H315 $(0.06 \leq C < 0.6)$ Eye Irrit. 2; H319 $(0.6 \leq C \leq 100)$ Skin Corr. 1C; H314 $(0.6 \leq C \leq 100)$ Eye Dam. 1; H318

Comments: Contains less than 1 % of titanium dioxide in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \mu\text{m}$.
Full text of H- and EUH-statements: see section 1.

Section 4. First-aid measures

4.1 Description of first aid measures

First-aid measures general: If you feel unwell, seek medical advice.

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact: Wash skin with plenty of water.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion:

Rinse mouth out with water. Call a poison center or a doctor if you feel unwell.

First-aid measures for first aider:

First aid workers will be equipped with suitable personal protective equipment.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation:

May cause minor irritation to the respiratory tract and to other mucous membranes.

Symptoms/effects after skin contact: Repeated or prolonged contact may cause slight irritation to the skin.

Symptoms/effects after eye contact: May cause slight irritation to eyes.

Symptoms/effects after ingestion:

Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

Fire hazard: No fire hazard.

Explosion hazard: No direct explosion hazard.

Hazardous decomposition products in case of fire:

Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

5.3 Advice for firefighters

Firefighting instructions:

Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting:

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General measures:

Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1 For non-emergency personnel

Protective equipment: Wear recommended personal protective equipment.
Emergency procedures: Ventilate spillage area.

6.1.2 For emergency responders

Protective equipment:
Do not attempt to take action without suitable protective equipment.
For further information refer to section 8: "Exposure controls/personal protection."
Emergency procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

For containment:

Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up:

Mechanically recover the product. Shovel or sweep up and put in a closed container for disposal.

Other information: Dispose of materials or solid residues at an authorised site.

6.4 Reference to other sections

For further information refer to section 13.

Section 7. Handling and storage

7.1 Precautions for safe handling

Additional hazards when processed:

Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling:

Ensure good ventilation of the work station. Wear personal protective equipment .

Hygiene measures:

Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures: Keep in a cool, well-ventilated place away from heat.

Storage conditions: Keep cool. Protect from sunlight.

Incompatible products: Oxidizing agent. Strong acids.

Storage temperature: $\geq 5 - \leq 35^{\circ}\text{C}$

Storage area: Store in a well-ventilated place.

Packaging materials: Store always product in container of same material as original container.

7.3 Specific end use(s)

No additional data available.

Section 8. Exposure controls / personal protection

8.1 Control parameters

National occupational exposure and biological limit values

Titanium Dioxide (13463-67-7):

Ireland - Occupational Exposure Limits

OEL TWA: 10 mg/m³ Total Inhalable Dust
4 mg/m³ Respirable Dust

United Kingdom - Occupational Exposure Limits

Local name: Titanium dioxide

WEL TWA (OEL TWA): 10 mg/m³ inhalable fraction
4 mg/m³ respirable fraction

Regulatory reference: EH40/2005 (Fourth edition, 2020). HSE

Aluminium hydroxide (21645-51-2):

Ireland - Occupational Exposure Limits

OEL TWA: 10 mg/m³ Inhalable fraction
4 mg/m³ Respirable fraction

United Kingdom - Occupational Exposure Limits

Local name: Dust

WEL TWA (OEL TWA): 10 mg/m³ inhalable fraction
4 mg/m³ respirable fraction

Regulatory reference: EH40/2005 (Fourth edition, 2020). HSE

Glass Frit (65997-18-4):

United Kingdom - Occupational Exposure Limits

Local name: Dust

WEL TWA (OEL TWA): 10 mg/m³ inhalable fraction
4 mg/m³ respirable fraction

Regulatory reference: EH40/2005 (Fourth edition, 2020). HSE

Calcium Magnesium Dicarbonate (16389-88-1):

Ireland - Occupational Exposure Limits

OEL TWA: 1 mg/m³ Respirable Fraction (Calcium Oxide)
4 mg/m³ Respirable Fraction (Magnesium Oxide)
5 mg/m³ Fume (Magnesium Oxide)
10 mg/m³ Inhalable Fraction (Magnesium Oxide)

OEL STEL: 4 mg/m³ Respirable Fraction (Calcium Oxide) 10 mg/m³ Fume (15 Minute Reference Period)
(Magnesium Oxide)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA): 2 mg/m³ (Calcium Oxide)
1 mg/m³ Respirable Fraction (Calcium Oxide)
10 mg/m³ Inhalable Fraction (Magnesium Oxide)
4 mg/m³ Respirable Fraction (Magnesium Oxide)

WEL STEL (OEL STEL): 4 mg/m³ Respirable Fraction (15 Minutes Average Value) (Calcium Oxide)

8.2 Exposure controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Personal Protective Equipment: Wear recommended personal protective equipment.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Standard: EN 166.

Skin and body protection: Wear suitable protective clothing. Disposable gloves. Standard: EN 374.

Respiratory protection:

No respiratory protection needed under normal use conditions.

If dust are formed: Wear suitable respiratory equipment in case of insufficient ventilation.

Dust mask: Type P3.

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid.

Appearance: Very viscous to pasty.

Colour: white.

Odour: acrylic-like.

Odour threshold: Not available.

pH: 5 - 9

Melting point: Not applicable.

Freezing point: Not available.

Boiling point: Not available.

Flammability: Non flammable.

Lower explosion limit: Not available.

Upper explosion limit: Not available.

Flash point: Not available.

Explosive limits: Not available.

Vapour pressure: Not available.

Vapour pressure at 50°C: Not available.

Relative vapour density at 20°C: Not available.

Relative density: $\geq - \leq$

Density: $\geq 1.56 - \leq 1.66$ g/cm³

Solubility: Not available.

Partition coefficient n-octanol/water (Log Kow): Not available.

Auto-ignition temperature: Not available.

Decomposition temperature: 180 °C

SADT: \geq °C

Viscosity, kinematic: Not available

Viscosity, dynamic: $\geq 300000 - \leq 900000$ cP

Explosive properties: Not available.

9.2 Other information

Particle characteristics: Not applicable.

Section 10. Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

Oxidizing agent. Strong acids.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral): Not classified (Based on available data, the classification criteria are not met).

Acute toxicity (dermal): Not classified (Based on available data, the classification criteria are not met).

Acute toxicity (inhalation): Not classified (Based on available data, the classification criteria are not met).

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9):

LD50 dermal rat:

> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity).

1,2-benzisothiazol-3(2H)-one (2634-33-5):

LD50 dermal rat:

> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity).

Titanium Dioxide:

LD50 dermal rat:

> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity).

Aluminium hydroxide (21645-51-2):

LD50 oral rat:

> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423
(Acute Oral toxicity - Acute Toxic Class Method).

Glass Frit (65997-18-4):

LD50 dermal rat:

> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity).

LD50 dermal rabbit: > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other.

Skin corrosion/irritation: Not classified (Based on available data, the classification criteria are not met).
pH: 5 - 9

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9):

pH: 3.43 Temp: 20 °C Concentration: 10 g/L

Serious eye damage/irritation: Not classified (Based on available data, the classification criteria are not met).
pH: 5 - 9

Respiratory or skin sensitisation:

Not classified (Based on available data, the classification criteria are not met).

Germ cell mutagenicity: Not classified (Based on available data, the classification criteria are not met).

Carcinogenicity: Not classified (Based on available data, the classification criteria are not met).

Reproductive toxicity: Not classified (Based on available data, the classification criteria are not met).

1,2-benzisothiazol-3(2H)-one (2634-33-5):

NOAEL (animal/female, F0/P):

112 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800
(Reproduction and Fertility Effects) .

NOAEL (animal/female, F1):

56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800
(Reproduction and Fertility Effects).

Aluminium hydroxide (21645-51-2):

NOAEL (animal/male, F0/P):

1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422
(Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) .

STOT-single exposure: Not classified (Based on available data, the classification criteria are not met).

STOT-repeated exposure: Not classified (Based on available data, the classification criteria are not met).

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9):

LOAEL (dermal, rat/rabbit, 90 days):

0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3
(Subchronic Dermal Toxicity 90 Days).

Aluminium hydroxide (21645-51-2):

NOAEC (inhalation, rat, dust/mist/fume, 90 days):

0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413
(Subchronic Inhalation Toxicity: 90-Day Study).

NOAEL (subchronic, oral, animal/male, 90 days):

1034 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409
(Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents).

NOAEL (subchronic, oral, animal/female, 90 days):

1087 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409
(Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents).

Glass Frit (65997-18-4):

NOAEL (oral, rat, 90 days):

300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408
(Repeated Dose 90-Day Oral Toxicity Study in Rodents).

Aspiration hazard: Not classified (Based on available data, the classification criteria are not met).

11.2 Information on other hazards

No additional information available.

Section 12. Ecological information

12.1 Toxicity

Ecology - general:

The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute):

Not classified (Based on available data, the classification criteria are not met).

Hazardous to the aquatic environment, long-term (chronic):

Not classified (Based on available data, the classification criteria are not met).

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9):

LC50 - Fish [1]: 0.19 mg/l Test organisms (species): *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*).

LC50 - Fish [2]: 0.28 mg/l Test organisms (species): *Lepomis macrochirus*.

EC50 - Crustacea [1]: 0.16 mg/l Test organisms (species): *Daphnia magna*.

NOEC (chronic): 0.1 mg/l Test organisms (species): *Daphnia magna* Duration: '21 d'

NOEC chronic fish:

0.098 mg/l Test organisms (species): *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*) Duration: '28 d'

1,2-benzisothiazol-3(2H)-one (2634-33-5):

LC50 - Fish [1]: \approx 16.7 mg/l Test organisms (species): *Cyprinodon variegatus*.

LC50 - Fish [2]: 2.15 mg/l Test organisms (species): *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*).

EC50 - Crustacea [1]: 2.94 mg/l Test organisms (species): *Daphnia magna*.

EC50 - Crustacea [2]: 2.9 mg/l Test organisms (species): *Daphnia magna*.

Titanium Dioxide:

EC50 - Other aquatic organisms [1]: > 100 mg/l Test organisms (species):

EC50 72h - Algae [1]:

> 100 mg/l Test organisms (species): *Raphidocelis subcapitata* (previous names: *Pseudokirchneriella subcapitata*, *Selenastrum capricornutum*).

LOEC (chronic): 5 mg/l Test organisms (species): *Daphnia magna* Duration: '21 d'

12.2 Persistence and degradability

FirePro® AIS:

Persistence and degradability: Not rapidly degradable.

reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9):

Persistence and degradability: Not rapidly degradable.

1,2-benzisothiazol-3(2H)-one (2634-33-5):

Persistence and degradability: Not rapidly degradable.

Titanium Dioxide:

Persistence and degradability: Not rapidly degradable.

Aluminium hydroxide (21645-51-2):

Persistence and degradability: Not rapidly degradable.

Glass Frit (65997-18-4):

Persistence and degradability: Not rapidly degradable.

Calcium Magnesium Dicarbonate (16389-88-1):

Persistence and degradability: Not rapidly degradable.

12.3 Bio-accumulative potential

No additional information available.

12.4 Mobility in soil

FirePro® AIS:

Liquid product: Expected to be highly mobile in soil.

Additional information: Fully cured. Not considered mobile.

12.5 Results of PBT and vPvB assessment

No additional information available.

12.6 Other adverse effects

No additional information available.

12.7 Endocrine disrupting properties

No additional information available.

Section 13. Disposal considerations

13.1 Waste treatment methods

Regional waste regulation: Disposal must be done according to official regulations.

Waste treatment methods:

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations:

Liquid product: Dispose in a safe manner in accordance with local/national regulations. Fully cured.

Comply with applicable regulations for solid waste disposal.

Additional information: Do not re-use empty containers.

Section 14. Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1 UN number or ID number

ADR / IMDG / IATA / ADN / RID: Not applicable.

14.2 UN proper shipping name

ADR / IMDG / IATA / ADN / RID: Not applicable.

14.3 Transport hazard class(es)

ADR / IMDG / IATA / ADN / RID: Not applicable.

14.4 Packing group

ADR / IMDG / IATA / ADN / RID: Not applicable.

14.5 Environmental hazards

ADR / IMDG / IATA / ADN / RID: Not applicable.

No supplementary information available.

14.6 Special precautions for user

Overland transport: Not applicable.

Transport by sea: Not applicable.

Air transport: Not applicable.

Inland waterway transport: Not applicable.

Rail transport: Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU-Regulations:

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List.

PIC regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).

Dual-Use Regulation (428/2009)

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out.

Section 16. Other information

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH071	Corrosive to the respiratory tract
EUH208	Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (55965-84-9), 1,2-benzisothiazol-3(2H)-one (2634-33-5). May produce an allergic reaction
EUH210	Safety data sheet available on request
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

The classification complies with: ATP 12 .

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Legal disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE. USERS SHOULD CHECK FOR AND OBTAIN THE LATEST RELEVANT INFORMATION AND VERIFY SUCH INFORMATION IS CURRENT AND COMPLETE BEFORE PLACING ORDERS FOR ROCKWOOL LIMITED'S PRODUCTS.

This legal disclaimer applies to purchasers and users of ROCKWOOL Limited's products manufactured by or on behalf of ROCKWOOL Limited and its affiliates.

ROCKWOOL Limited, its affiliates, its agents and employees and all persons acting on its or their behalf (collectively "ROCKWOOL"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Usage of the information remains under the sole responsibility of the purchaser and/or user.

ROCKWOOL makes no warranty, representation or guarantee regarding the information contained in the data sheet, the suitability of the products for any particular purposes or the continuing production of any product. To the maximum extent permitted by applicable law, ROCKWOOL disclaims (i) any and all liability arising out of the application, use of any product, misuse or inability to use the product (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Information contained in this data sheet is up-to-date as at the date of issue. As ROCKWOOL Limited cannot control or anticipate the conditions under which this product may be used, each user should review the information in specific context of the planned use. To the maximum extent permitted by law, ROCKWOOL Limited will not be responsible for damages of any nature resulting from the use or reliance upon the information contained in this data sheet. To the maximum extent permitted by law, ROCKWOOL shall not be liable for any damage resulting from handling the products or from contact with the products.

No express or implied warranties are given other than those implied by law.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of ROCKWOOL. Product names and markings noted herein may be trademarks of their respective owners.